## **RAW SEQUENCE LISTING**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number: 10/578, 521A

Source:

Date Processed by STIC: 02/27/2007

ENTERED



**IFWO** 

RAW SEQUENCE LISTING DATE: 02/27/2007
PATENT APPLICATION: US/10/578,521A TIME: 15:09:28

Input Set : N:\efs\02\_27\_07\10578521a\_efs\50413\_015001\_ST25.txt
Output Set: N:\CRF4\02272007\J578521A.raw

```
3 <110> APPLICANT: Chun, Jong-Yoon
      5 <120> TITLE OF INVENTION: Method for Amplifying Unknown DNA Sequence Adjacent to Known
              Sequence
      8 <130> FILE REFERENCE: 50413/015001
     10 <140> CURRENT APPLICATION NUMBER: US 10/578,521A
     11 <141> CURRENT FILING DATE: 2006-05-08
     13 <150> PRIOR APPLICATION NUMBER: PCT/KR2003/002407
     14 <151> PRIOR FILING DATE: 2003-11-10
     16 <160> NUMBER OF SEQ ID NOS: 28
     18 <170> SOFTWARE: PatentIn version 3.3
     20 <210> SEQ ID NO: 1
     21 <211> LENGTH: 33
     22 <212> TYPE: DNA
     23 <213> ORGANISM: Artificial Sequence
     25 <220> FEATURE:
     26 <223 > OTHER INFORMATION: primer (DW-ACP1-A)
     29 <220> FEATURE:
     30 <221> NAME/KEY: misc feature
     31 <222> LOCATION: (22)..(28)
     32 <223> OTHER INFORMATION: n denotes deoxyinosine
     34 <400> SEQUENCE: 1
W--> 35 tcacagaagt atgccaagcg annnnnnag gtc
                                                                                33
     38 <210> SEQ ID NO: 2
     39 <211> LENGTH: 33
     40 <212> TYPE: DNA
     41 <213> ORGANISM: Artificial Sequence
     43 <220> FEATURE:
     44 <223> OTHER INFORMATION: primer (DW-ACP1-C)
     47 <220> FEATURE:
     48 <221> NAME/KEY: misc_feature
     49 <222> LOCATION: (22)..(28)
     50 <223> OTHER INFORMATION: n denotes deoxyinosine
     52 <400> SEQUENCE: 2
W--> 53 tcacagaagt atgccaagcg annnnnncg gtc
                                                                               33
     56 <210> SEQ ID NO: 3
     57 <211> LENGTH: 33
     58 <212> TYPE: DNA
     59 <213> ORGANISM: Artificial Sequence
     61 <220> FEATURE:
     62 <223> OTHER INFORMATION: primer (DW-ACP1-T)
     65 <220> FEATURE:
     66 <221> NAME/KEY: misc_feature
```

67 <222> LOCATION: (22)..(28)

DATE: 02/27/2007

TIME: 15:09:28

### Input Set: N:\efs\02\_27\_07\10578521a efs\50413 015001 ST25.txt Output Set: N:\CRF4\02272007\J578521A.raw 68 <223> OTHER INFORMATION: n denotes deoxyinosine 70 <400> SEQUENCE: 3 W--> 71 tcacagaagt atgccaagcg annnnnntg gtc 33 74 <210> SEQ ID NO: 4 75 <211> LENGTH: 33 76 <212> TYPE: DNA 77 <213> ORGANISM: Artificial Sequence 79 <220> FEATURE: 80 <223> OTHER INFORMATION: primer (DW-ACP1-G) 83 <220> FEATURE: 84 <221> NAME/KEY: misc feature 85 <222> LOCATION: (22)..(28) 86 <223> OTHER INFORMATION: n denotes deoxyinosine 88 <400> SEQUENCE: 4 W--> 89 tcacagaagt atgccaagcg annnnnnngg gtc 33 92 <210> SEQ ID NO: 5 93 <211> LENGTH: 33 94 <212> TYPE: DNA 95 <213> ORGANISM: Artificial Sequence 97 <220> FEATURE: 98 <223> OTHER INFORMATION: primer (DW-ACP2-N) 101 <220> FEATURE: 102 <221> NAME/KEY: misc feature 103 <222> LOCATION: (26)..(29) 104 <223> OTHER INFORMATION: n denotes deoxyinosine 106 <400> SEQUENCE: 5 W--> 107 tcacagaagt atgccaagcg aggggnnnng gtc 33 110 <210> SEQ ID NO: 6 111 <211> LENGTH: 33 112 <212> TYPE: DNA 113 <213> ORGANISM: Artificial Sequence 115 <220> FEATURE: 116 <223> OTHER INFORMATION: primer (DW-ACP2-NA) 119 <220> FEATURE: 120 <221> NAME/KEY: misc feature 121 <222> LOCATION: (26)..(28) 122 <223> OTHER INFORMATION: n denotes deoxyinosine 124 <400> SEQUENCE: 6 W--> 125 tcacagaagt atgccaagcg aggggnnnag gtc 33 128 <210> SEQ ID NO: 7 129 <211> LENGTH: 33 130 <212> TYPE: DNA 131 <213> ORGANISM: Artificial Sequence 133 <220> FEATURE: 134 <223> OTHER INFORMATION: primer (DW-ACP2-NC) 137 <220> FEATURE: 138 <221> NAME/KEY: misc\_feature 139 <222> LOCATION: (26)..(28) 140 <223> OTHER INFORMATION: n denotes deoxyinosine

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/578,521A

RAW SEQUENCE LISTING DATE: 02/27/2007
PATENT APPLICATION: US/10/578,521A TIME: 15:09:28

Input Set : N:\efs\02\_27\_07\10578521a\_efs\50413\_015001\_ST25.txt

Output Set: N:\CRF4\02272007\J578521A.raw

. .

### 142 <400> SEQUENCE: 7 W--> 143 tcacagaagt atgccaagcg aggggnnncg gtc 33 146 <210> SEQ ID NO: 8 147 <211> LENGTH: 33 148 <212> TYPE: DNA 149 <213> ORGANISM: Artificial Sequence 151 <220> FEATURE: 152 <223> OTHER INFORMATION: primer (DW-ACP2-NT) 155 <220> FEATURE: 156 <221> NAME/KEY: misc feature 157 <222> LOCATION: (26)..(28) 158 <223> OTHER INFORMATION: n denotes deoxyinosine 160 <400> SEQUENCE: 8 W--> 161 tcacagaagt atgccaagcg aggggnnntg gtc 33 164 <210> SEQ ID NO: 9 165 <211> LENGTH: 33 166 <212> TYPE: DNA 167 <213> ORGANISM: Artificial Sequence 169 <220> FEATURE: 170 <223> OTHER INFORMATION: primer (DW-ACP2-NG) 173 <220> FEATURE: 174 <221> NAME/KEY: misc\_feature 175 <222> LOCATION: (26)..(28) 176 <223> OTHER INFORMATION: n denotes deoxyinosine 178 <400> SEQUENCE: 9 W--> 179 tcacagaagt atgccaagcg aggggnnngg gtc 33 182 <210> SEQ ID NO: 10 183 <211> LENGTH: 33 184 <212> TYPE: DNA 185 <213> ORGANISM: Artificial Sequence 187 <220> FEATURE: 188 <223> OTHER INFORMATION: primer (DW-ACP3-N1) 191 <220> FEATURE: 192 <221> NAME/KEY: misc feature 193 <222> LOCATION: (22)..(25) 194 <223> OTHER INFORMATION: n denotes deoxyinosine 196 <400> SEQUENCE: 10 33 W--> 197 tcacagaagt atgccaagcg annnnggggg gtc 200 <210> SEQ ID NO: 11 201 <211> LENGTH: 33 202 <212> TYPE: DNA 203 <213> ORGANISM: Artificial Sequence 205 <220> FEATURE: 206 <223> OTHER INFORMATION: primer (DW-ACP3-N2) 209 <220> FEATURE: 210 <221> NAME/KEY: misc\_feature 211 <222> LOCATION: (23)..(26) 212 <223> OTHER INFORMATION: n denotes deoxyinosine

214 <400> SEQUENCE: 11

# RAW SEQUENCE LISTING DATE: 02/27/2007 PATENT APPLICATION: US/10/578,521A TIME: 15:09:28

Input Set: N:\efs\02\_27\_07\10578521a\_efs\50413\_015001\_ST25.txt
Output Set: N:\CRF4\02272007\J578521A.raw

M>		teacagaagt atgecaageg agmningggg gte	33
	218	<210> SEQ ID NO: 12	
	219	<211> LENGTH: 33	
	220	<212> TYPE: DNA	
	221	<213> ORGANISM: Artificial Sequence	
	223	<220> FEATURE:	
	224	<223> OTHER INFORMATION: primer (DW-ACP3-N3)	
	227	<220> FEATURE:	
	228	<221> NAME/KEY: misc_feature	
	229	<222> LOCATION: (24)(27)	
	230	<223> OTHER INFORMATION: n denotes deoxyinosine	
		<400> SEQUENCE: 12	
W>	233	tcacagaagt atgccaagcg aggnnnnggg gtc	33
		<210> SEQ ID NO: 13	
	237	<211> LENGTH: 20	
	238	<212> TYPE: DNA	
	239	<213> ORGANISM: Artificial Sequence	
		<220> FEATURE:	
	242	<223> OTHER INFORMATION: primer (Nested DW-P3-N)	
		<400> SEQUENCE: 13	
		ccaagcgagg gggggggtc	20
		<210> SEQ ID NO: 14	
	249	<211> LENGTH: 29	
	250	<212> TYPE: DNA	
	251	<213> ORGANISM: Artificial Sequence	
	253	<220> FEATURE:	
	254	<223> OTHER INFORMATION: primer (DW-P1-A)	
	257	<220> FEATURE:	
	258	<221> NAME/KEY: misc_feature	
	259	<222> LOCATION: (22)(24)	
	260	<223> OTHER INFORMATION: n is any base	
	262	<400> SEQUENCE: 14	
W>		tcacagaagt atgccaagcg annnaggtc	29
	266	<210> SEQ ID NO: 15	
	267	<211> LENGTH: 29	
		<212> TYPE: DNA	
	269	<213> ORGANISM: Artificial Sequence	
		<220> FEATURE:	
	272	<223> OTHER INFORMATION: primer (DW-P1-C)	
		<220> FEATURE:	
		<221> NAME/KEY: misc_feature	
		<222> LOCATION: (22)(24)	
		<223> OTHER INFORMATION: n is any base	
		<400> SEQUENCE: 15	
W>		tcacagaagt atgccaageg annneggte	29
		<210> SEQ ID NO: 16	
		<211> LENGTH: 29	
		<212> TYPE: DNA	
	287	<213> ORGANISM: Artificial Sequence	

# RAW SEQUENCE LISTING DATE: 02/27/2007 PATENT APPLICATION: US/10/578,521A TIME: 15:09:28

Input Set : N:\efs\02\_27\_07\10578521a\_efs\50413\_015001\_ST25.txt
Output Set: N:\CRF4\02272007\J578521A.raw

		<220> FEATURE:	
		<223> OTHER INFORMATION: primer (DW-P1-T)	
		<220> FEATURE:	
	294	<221> NAME/KEY: misc_feature	
	295	<222> LOCATION: (22)(24)	
	296	<223> OTHER INFORMATION: n is any base	
	298	<400> SEQUENCE: 16	
W>	299	tcacagaagt atgccaagcg annntggtc	29
	302	<210> SEQ ID NO: 17	
	303	<211> LENGTH: 29	
		<212> TYPE: DNA	
	305	<213> ORGANISM: Artificial Sequence	
	307	<220> FEATURE:	
	308	<223> OTHER INFORMATION: primer (DW-P1-G)	
	311	<220> FEATURE:	
	312	<221> NAME/KEY: misc_feature	
	313	<222> LOCATION: (22)(24)	
•	314	<223> OTHER INFORMATION: n is any base	
	316	<400> SEQUENCE: 17	
₩>		tcacagaagt atgccaagcg annngggtc	29
		<210> SEQ ID NO: 18	
		<211> LENGTH: 29	
		<212> TYPE: DNA	
		<213> ORGANISM: Artificial Sequence	
		<220> FEATURE:	
		<223> OTHER INFORMATION: primer (DW-P1)	
		<220> FEATURE:	
		<221> NAME/KEY: misc_feature	
		<222> LOCATION: (22)(25)	
		<223> OTHER INFORMATION: n is any base	
		<400> SEQUENCE: 18	
N>		tcacagaagt atgccaagcg annnnggtc	29
		<210> SEQ ID NO: 19 <211> LENGTH: 21	
		<211> DENGIR: 21 <212> TYPE: DNA	
		<213> ORGANISM: Artificial Sequence <220> FEATURE:	
		<223> OTHER INFORMATION: primer (JYC3)	
		<400> SEQUENCE: 19	
		tcacagaagt atgccaagcg a	21
		<210> SEQ ID NO: 20	21
		<211> LENGTH: 20	
		<212> TYPE: DNA	
		<213> ORGANISM: Artificial Sequence	
		<220> FEATURE:	
		<223> OTHER INFORMATION: primer (mTNFa-C1)	
		<400> SEQUENCE: 20	
		caccttgccc tgcccattag	20
		<210> SEQ ID NO: 21	20
		THE TO THE STATE OF THE STATE O	

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 02/27/2007 PATENT APPLICATION: US/10/578,521A TIME: 15:09:29

Input Set : N:\efs\02\_27\_07\10578521a\_efs\50413\_015001\_ST25.txt

Output Set: N:\CRF4\02272007\J578521A.raw

#### Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

```
Seq#:1; N Pos. 22,23,24,25,26,27,28
Seq#:2; N Pos. 22,23,24,25,26,27,28
Seq#:3; N Pos. 22,23,24,25,26,27,28
Seq#:4; N Pos. 22,23,24,25,26,27,28
Seq#:5; N Pos. 26,27,28
Seq#:6; N Pos. 26,27,28
Seq#:7; N Pos. 26,27,28
Seq#:8; N Pos. 26,27,28
Seq#:9; N Pos. 26,27,28
Seq#:10; N Pos. 22,23,24,25
Seq#:11; N Pos. 23,24,25,26
Seq#:12; N Pos. 24,25,26
Seq#:14; N Pos. 24,25,26
Seq#:15; N Pos. 22,23,24
Seq#:15; N Pos. 22,23,24
Seq#:17; N Pos. 22,23,24
Seq#:17; N Pos. 22,23,24
Seq#:18; N Pos. 22,23,24
Seq#:28; N Pos. 1,2,3,4,5,6
```

#### VERIFICATION SUMMARY

DATE: 02/27/2007 PATENT APPLICATION: US/10/578,521A TIME: 15:09:29

Input Set : N:\efs\02\_27\_07\10578521a\_efs\50413\_015001\_ST25.txt

Output Set: N:\CRF4\02272007\J578521A.raw

```
L:35 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:53 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
L:71 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:89 \ M:341 \ W: \ (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:107 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:125 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:143 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:161 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:179 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
L:197 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
L:215 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0
L:233 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12 after pos.:0
L:263 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
L:281 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0
L:299 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0
L:317 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
L:335 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0
L:461 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0
```